

PERTINENT ECO-SOLUTIONS, INC. SAFETY DATA SHEET

This Safety Data Sheet has been prepared to comply with the US OSHA Hazcom 2012 Standard.

SECTION 1: IDENTIFICATION					
Product Identifier:					
Trade Name:	Pertinent IGR 10.5% Feed-Thru [EPA Reg # 97680-1]				
SDS Date of Preparation:	November 16, 2021; revised November 13, 2024				
Recommended use of the chemical and r	restrictions on use:				
Recommended use:	For use in cattle feeds to prevent the breeding of horn flies in the manure of treated cattle. Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.				
Restrictions on use:	None known				
Details of the Supplier of the Safety Data	a Sheet:				
Manufacturer:	PERTINENT ECO-SOLUTIONS, Inc.				
	2800 Sumner Boulevard, Suite 136				
	Raleigh, NC 27616				
Information Phone Number:	(919) 676-8644				
Information r none Number:	(919) 070-0044				
Emergency Telephone Number:					
Emergency Spill Information:	INFOTRAC: 1-800-535-5053 (North America) 1-352-323-3500 (International)				

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:

Physical	Health	
Not Classified	Not Classified	

Label Elements:

None Required

Other Hazards: None known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS#	%	
Amorphous silica	112926-00-8	80-90	
S-Methoprene	65733-16-6	10.50	
Butylated hydroxytoluene	128-37-0	<3%	

The specific identity and/or exact percentage of composition have been withheld as a trade secret.

SECTION 4: FIRST-AID MEASURES

Description of First Aid Measures:

Eye: Rinse thoroughly with water. Get medical attention if irritation occurs and persists.

Skin: Remove contaminated clothing. Wash contact area with soap and water. Get medical attention if irritation or symptoms of exposure develop. Launder clothing before re-use.

Inhalation: Remove victim to fresh air. If breathing is difficult or irritation persists, get medical attention.

Ingestion: Do not induce vomiting unless directed to do so by medical personnel. Keep the victim calm and warm. Get medical attention if symptoms develop.

Most Important symptoms and effects, both acute and delayed: Contact with dust may cause mechanical eye irritation and

skin irritation. Inhalation of dust may cause irritation of the nose, throat and upper respiratory irritation.

Indication of any immediate medical attention and special treatment needed: Immediate medical attention should not be required.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use any media that is appropriate for the surrounding fire.

Special Hazards Arising from the Chemical: Not classified as flammable or combustible. During a fire, this product may release oxides of carbon and other toxic or irritating compounds.

Special Equipment and Precautions for Fire-Fighters: Wear an approved, positive pressure, self-contained breathing apparatus, and full protective clothing. Cool fire exposed containers with water. Contain water used in firefighting from entering sewers or natural waterways.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Avoid contact with eyes or clothing. Wear appropriate protective clothing and respirator if needed. Avoid generating air-born dust. Avoid breathing dust. Powders that become wet may cause surfaces to be extremely slippery and present a slip hazard.

Methods and Material for Containment and Cleaning Up:

Scoop or shovel up using methods that minimize the generation of airborne dust. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Place dry material into an appropriate container for disposal. Wipe spill area with a damp cloth. Avoid releases to the environment. Report spills and releases as required to appropriate authorities.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling: Avoid generating or breathing dust. Avoid contact with eyes or clothing. Use with adequate ventilation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse. Keep containers closed when not in use. Follow good housekeeping practices to keep surfaces, including areas overhead such as piping, drop ceilings, ductwork, etc. free from settled dust.

Conditions for Safe Storage, Including any Incompatibilities: Store in a container in a dry, well-ventilated location away from oxidizers and incompatible materials. Keep container tightly closed when not in use.

Chemical Name	Exposure Limits
Amorphous silica	20 mppcf OSHA PEL
S-Methoprene	None Established

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits.

Personal Protective Equipment:

Butylated hydroxytoluene

Respiratory Protection: In operations where exposure levels are excessive, an approved respirator with dust/mist cartridges or supplied air respirator should be used. Respirator selection and use should be based on contaminant type, form and concentration. Follow applicable regulations and good Industrial Hygiene practice.

2 mg/m3 TWA ACGIH TLV (Inhalable fraction and vapor)

Skin Protection: Impervious gloves are recommended to prevent prolonged skin contact. Contact your glove supplier for selection assistance.

Eye Protection: Chemical safety goggles or dust goggles are recommended to prevent eye contact.

Other Protective Equipment: Impervious clothing is required to prevent skin contact and contamination of personal clothing. An eye wash facility and safety shower should be available in the work area.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White dust	Vapor Pressure: Not applicable
Odor: Typical, slight odor	Vapor Density (air = 1): Not applicable
Odor Threshold: Not established	Relative Density: Not available
pH: Not applicable	Solubility(ies): Insoluble in water.
Melting Point/Freezing Point: Not available	Partition coefficient: n-octanol/water: Not applicable
Boiling Point/Range: Not applicable	Auto-ignition Temperature: Not applicable
Flash Point: Not applicable	Decomposition Temperature: Not available
Evaporation Rate: Not applicable	Viscosity: Not applicable
Flammability (solid, gas): Not combustible	Flammable Limits: LEL: Not applicable
	UEL: Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Not reactive

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions to Avoid: Avoid hygroscopic conditions and dust formation.

Incompatible Materials: None known.

Hazardous Decomposition Products: Thermal decomposition will produce oxides of carbon and other toxic or irritating compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

Potential Health Effects:

Eye: Dust may cause mechanical (abrasive) irritation.
Skin: Contact with dust may cause skin irritation.
Inhalation: Dust may cause irritation to nose, throat, and upper respiratory tract.
Ingestion: Swallowing may cause mouth, throat, and gastrointestinal irritation with nausea and vomiting.
Chronic Hazards: None known.

Carcinogenicity: None of the components of this product are listed as carcinogens by OSHA, IARC, and NTP.

Acute Toxicity Values:

Amorphous silica: Oral rat LD50->5000 mg/kg, Skin rabbit LD50->2000 mg/kg S-Methoprene: Oral rat LD50->5050 mg/kg, Skin rat LD50->5050 mg/kg, Inhalation rat LC50->2.38 mg/L Butylated hydroxytoluene: Oral rat LD50->6000 mg/kg, Skin rat LD50->2000 mg/L

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

S-Methoprene: 96 hr LC50 Zebrafish- 4.26 mg/L, 48 hr EC50 Daphnia magna- 0.22 mg/L, 72 hr ErC50 Selenastrum capricornutum- 2.264 mg/L, 21 day NOEC Daphnia magna- 0.019 mg/L Butylated hydroxytoluene: 96 hr LC50 Fish- 0.199 mg/L (QSAR), 96 hr LC50 Oryzias latipes- 1.1 mg/L, 48 hr EC50 Daphnia magna- 0.48 mg/L, 30 day NOEC Oryzias latipes- 0.053 mg/L, 21 day NOEC Daphnia magna- 0.069 mg/L

This product is expected to be toxic to the aquatic environment with long-term adverse effects. Releases to the environment should be avoided.

Persistence and Degradability: S-Methoprene and Butylated hydroxytoluene are not readily biodegradable.

Bioaccumulative Potential: S-Methoprene: 516 BCF.

Mobility in Soil: No data available

Other Adverse Effects: None known

SECTION 13: DISPOSAL CONSIDERATIONS

Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA. Dispose in accordance with all local, state, and federal regulations.

SECTION 14: TRANSPORTATION INFORMATION

	UN Number	UN Proper Shipping Name	Hazard Class(s)	Packing Group	Environmental Hazards
US DOT	None	Not regulated	None	None	Not applicable
IMDG	UN3077	Environmentally hazardous substance, solid, n.o.s. (S- Methoprene, Butylated hydroxytoluene)	9	III	Marine Pollutant
IATA/ICAO	UN3077	Environmentally hazardous substance, solid, n.o.s. (S- Methoprene, Butylated hydroxytoluene)	9	III	No

Transport in Bulk According to Annex III MARPOL 73/78 and the IBC Code: Not applicable

Special Precautions for User: Not applicable

SECTION 15: REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Labeling: Keep Out Of Reach of Children CAUTION PRECAUTIONARY STATEMENTS gards to Humans and Domestic Anim

Hazards to Humans and Domestic Animals

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Harmful if inhaled. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Environmental Hazards: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

U.S. FEDERAL REGULATIONS:

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

SARA TITLE III:

Hazard Category for Section 311/312: See OSHA Hazard Classification in Section 2.

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: This product is an EPA Registered product #97680-1.

SECTION 16: OTHER INFORMATION

Date of Current Revision: November 16, 2021 Revision Summary: New SDS Date of Previous Revision: N/A

This above information is believed to be correct but does not propose to be all inclusive and shall be used only as a guide. PERTINENT ECO-SOLUTIONS, Inc. shall not be held liable for any damage resulting from handling or from contact with the above product.