

AN INSECT GROWTH REGULATOR END-**USE PRODUCT FOR CONTROL OF HORN** FLY, STABLE FLY, HOUSE FLY AND FACE FLY IN THE MANURE OF CATTLE AND **CALVES**

- Contains diflubenzuron Insect Growth Regulator [IGR]
- Breaks the life cycle of the target pests
- May be used in an integrated pest management program

ACTIVE INGREDIENT:

Diflubenzuron* (CAS# 35367-38-5)	0.67%
OTHER INGREDIENTS:	99.33%
TOTAL:	100.00%
*Contains 3.04 g of diflubenzuron/lb	

KEEP OUT OF REACH OF CHILDREN CAUTION

NET CONTENTS 50 lbs (23 kg)



USE INFORMATION

Pertinent Ag HerdGuard Premix is intended for blending into cattle rations to prevent the development and emergence of infestations of horn fly, stable fly, house fly and face fly in the manure of treated beef and dairy cattle and calves. When mixed with cattle supplements, diflubenzuron, the active ingredient in Pertinent Ag HerdGuard Premix, passes through the digestive tract and into the feces in sufficient concentration to kill fly larvae. Pertinent Ag HerdGuard Premix controls the infestation by inhibiting the development of horn fly, stable fly, house fly and face fly larvae in the manure and feces of treated animals but is not effective against existing adult flies.

This product can be used as part of a program aimed at reducing fly populations in the cattle's environment. Consult your veterinarian or retailer for program recommendations. In order to achieve optimum fly control, use Pertinent Ag HerdGuard Premix in conjunction with other premise and on-animal products as well as good management and sanitation practices.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear (if appropriate). Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves.

FIRST AID

If in the eyes: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. For emergency information concerning this product, call the National Ppison COntrol Center (NPIC) at 1-800-858-7378, Monday through Friday 8 am - 12 pm PST. NPIC Web site (http://www.npic.orst.edu/). After 12 pm PST on weekdays, and weekends, please contact your poison control center at 1-800-222-1222.

PERSONAL PROTECTIVE EQUIPMENT

Mixers and other handlers must wear long-sleeved shirt and pants, shoes plus socks, and chemical resistant gloves (nitrile rubber, barrier laminate, neoprene rubber or viton). Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling the product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

There is no withdrawal period for Pertinent Ag HerdGuard Premix. Start feeding Pertinent Ag HerdGuard Premix before flies begin to emerge and continue use until cold weather marks the end of fly season. In some cases, supplemental fly control measures may be needed in and around pastures, barns, and feedlots to control adult flies which can breed in other decaying matter or silage in the area, or that migrate in from other locations.

MIXED RATION FEEDING

Use the formula below to determine the mixing rate of Pertinent Ag HerdGuard Premix with grain or feed supplement. The mixing and feeding rates of Pertinent Ag HerdGuard Premix is calculated from the equation and will provide the daily intake not in excess of 0.10 mg diflubenzuron/kg body weight (4.54 mg/100 lbs of body weight per day).

Amount of HerdGuard Premix (lbs/ton) = [(body weight in lbs)/100] x 3 / Average Daily Intake (lbs)

MIXED WITH FREE-CHOICE MINERALS

Mix Pertinent Ag HerdGuard Premix with free choice minerals to produce mineral mixture as shown in the table below*. Place the diflubenzuron/mineral mixture in feeders close to either water sources and/or resting areas. Use one feeder for 15 – 20 head of cattle. Fill the feeders with no more than a 5 – 7 day supply of the mixture at one time, and protect from inclement weather.

*These calculations are based on a 1000 lb animal

	2 OZ PER DAY FEEDING RATE*		4 OZ PER DAY FEEDING RATES**	
HerdGuard™ Premix	13 lbs	6.10%	13.5 lbs	11.89%
Free Choice Minerals	200 lbs	93.90%	100.0 lbs	88.11%
Total	213 lbs	100%	113.5 lbs	100%

^{**}When the use of free choice mineral is recommended for beef and dairy cattle .in pasture, the feeding rate is determined by the sodium chloride content. A 25% sodium chloride content determines a rate of 4 oz/day.

CALVES For starters to be fed to calves weighing between 100-200 lbs, use the following table.

		MIXING RATE	
		Amount of Pertinent	
CALF	Feed Intake	Ag HerdGuard	Diflubenzuron
WEIGHT	(lbs/head/day)	Premix (lbs/ton)	(g/ton)
100 lbs	1.36		
150 lbs	2.04	2.2	6.69
200 lbs	2.72		
100 lbs	1.81		
150 lbs	2.7	1.66	5.05
200 lbs	3.62		

^{**}When the use of free choice mineral is recommended for beef and dairy cattle .in pasture, the feeding rate is determined by the sodium chloride content. A 50% sodium chloride content determines a rate of 2 oz/day.



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container. Store in a cool (preferable locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into mixing equipment then offer for recycling if available or dispose of empty bag and box in a sanitary landfill, or other procedures approved by state and local authorities.

WARRANTY

Pertinent Eco-Solutions, Inc. warrants that this product conforms to the chemical description on the label. Pertinent Eco-Solutions, Inc., neither makes nor authorizes any agent or representative to make any other warranty of fitness of merchantability, guarantee or representation, express or implied, concerning this product. To the extent consistent with applicable law, Pertinent Eco-Solution, Inc.'s maximum liability for breach of this warranty shall not exceed that purchase price of this product. To the extent consistent with applicable law, buyer and user acknowledge and assume all risks and liabilities resulting from the handling, storage and use of this product which extend beyond the use of this product under normal conditions in accord with the statements on this label.

Customer Service......1-919-676-8644 or orders@pertinenteco.com EPA Reg. No. 91586-2-97680 EPA Est No 92649-TX-1

> PERTINENT ECO-SOLUTIONS, INC. 2800 Sumner Blvd, Suite 136 Raleigh, NC 27616 www.pertinenteco.com

Pertinent Ag HerdGuard Premix is a registered trademark of Pertinent Eco-Solutions

SKU: 1US22316