

Broad-Spectrum Insecticide/Miticide Concentrate



- No Pre-Harvest Interval
- Dual Mode of Action
- Proven Eco-ffective
- Resistance Management

Kills aphids, caterpillars, thrips, spider mites, lygus, drosophila, and related pest species

For use in Fields, Greenhouses & Nurseries

NET CONTENTS: 32 oz.

Active Ingredients:

Geraniol	24%
Sodium Lauryl Sulfate	14%
Clove Oil	10%
Inert Ingredients	52%
Water, ethyl lactate, soar	p, polyglyceryl oleate
Total	100%

2US71001FRT20250605

CAUTION KEEP OUT OF REACH OF CHILDREN



DIRECTIONS FOR USE

Plant Safety: AgForce Total Insect Concentrate has been tested on a wide variety of plants. However, phytotoxicity may vary with specific species and cultivars, and local conditions, tank mixes, and treatment sequences can affect phytotoxicity. Before applying AgForce Total Insect Concentrate, test the product at the intended dillution rate for plant safety on a plant sample or seedling. Do not apply to stressed plants or recently transplanted material before roots are established. Mixing: Shake AgForce well before mixing. Add Agforce fotal Insect Concentrate to water and mix well before applying. Use immediately after mixing (within 8 hours).

For use on fruiting vegetables as	nd
non-fruiting vegetables, small fruits	, fruit
trees, flowering ornamentals, foliag	e
omamentals, and other food and no	n-food
For use on fruiting vegetables an non-fruiting vegetables, small fruits trees, flowering ornamentals, foliag ornamentals, and other food and no crops.	

Foliar spray rate: 0.6-2.5 fl oz per gallon of water Dip rate:

0.6 fl. oz per gallon of water

Note: A lower rate is recommended for preventative use, mild infestations, or sensitive foliage while a higher rate is recommended for heavy infestations and larger insects. Treat on a 5–7-day interval.

Spray Application: Add Agforce Total Insect Concentrate to water and mix well before applying, use immediately after mixing (within 8 hours). Using a medium spray nozzle, apply to both sides of leaf, using enough water volume to ensure thorough contact without runoff. Do not apply in rainy or windy conditions and make sure plants are dry within the hour. Exposure to excessive heat, light, and humidity should be avoided after spraying, Apply during cooler hours and when insects are present or shortly before a flight for the best

Recommended rates by pest (per 100		
Mites, thrips, potato capsids, lygus, drosophila, whiteflies and related species	0.6-1.3 fl oz	
Aphids	1.3-1.9 fl oz	
Armyworms, loopers, cutworms and other caterpillars	1.9-2.6 fl oz	

Dip Application: Dilute 0.6 fl oz of concentrate per 4 gallons of water. Dip unrooted cuttings or foliage in solution for 15-30 seconds while agitating. Only prepare enough solution as needed for one day and prepare new solution after dipping plants with pathogen concerns. Test a portion of sample plants for phytotoxicity before dipping the entire sample plant. Avoid dipping stressed plants.

PRECAUTIONARY STATEMENTS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes. Wear protective eyewear. Proplonged or frequently repeated skin contact may cause allergic reaction in some individuals who are sensitive to essential oils. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID. Have the product label available when seeking medical advice or treatment. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

PHYSICAL AND CHEMICAL HAZARDS: Do not apply on or around electrical wiring. Do not apply to hot surfaces or equipment.

STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Store in original container at room temperature in a dry location inaccessible to children or animals. Keep containers tightly closed. Do not reuse containers. Rinse empty contrainers and recycle or dispose in trash. Comply with state and local guidelines for disposal of unused product.

WARRANTIES AND LIMITED LIABILITY: Pertinent Eco-Solutions warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Pertinent Eco-Solutions makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. Pertinent Eco-Solutions liability or default, breach or failure under this label shall be limited to the amount of the purchase price. Pertinent Eco-Solutions, Inc. shall have no

liability for consequential damages.

This product has not been registered by the United States Environmental Protection Agency. Pertinent Eco-Solutions, Inc., represents that this product qualifies for exemption from registration under the Federal Insecticide, Fungicide and Rodenticide Act.

In the event of any spill, fire, disposal or medical emergency involving a human or animal, please call INFOTRAC at 1-800-535-5053, 24/7/365

Manufactured by:

Pertinent Eco-Solutions, Inc., 2800 Sumner Boulevard, Suite 136, Raleigh, NC 27616 (919) 676-8644 info@pertinenteco.com www.pertinenteco.com

AgForce is a key brand of Pertinent Eco-Solutions, with its trademark pending approval

2US71001BCK20250515